
In Ridge Expansion cases, please oversize your osteotomy and make sure that the crest diameter is equal to or larger than the implant major diameter.

In Hard Bone (Mandible), after Finishing the Full Osteotomy Preparation, Use the Next Larger Size Densah™ Bur to the 3mm Laser-Mark Depth to make sure the Osteotomy Crestal Diameter is Equal to or Larger than the Implant Major (Crestal) Diameter.

Use Densah™ Burs in full-step increments for Sinus Lift cases. Example: 2.0mm, 3.0mm, 4.0mm, 5.0mm





Use large block display to compare Bur identification system when using the schematic below for proper Bur usage

VT5® Set

○ VT8[®] Set

VS8® Set


	Densifying Mode CCW (800-1500) RPMs / Cutting Mode CW (800-1500) RPMs																		
Anker SB-III																			
				Soft Bone			Hard Bone (Mandible)												
									In densifying mode make sure your osteotomy is 1.0 mm deeper than the actual implant final length. In extreme hard bone, utilize DAC (Densify After Cut) Protocol. Find protocol in IFU.										
Geometry	Major Ø	Minor Ø	Pilot	Bur I	Bur 2	Bur 3	Bur 4	Densah ^t Bur Block Display	Pilot	Bur I	Bur 2	Bur 3	Bur 4	Bur 5	Bur 6	Bur 7	Densah [™] Bur Block Display		
Tapered	3.5		Pilot	VT1525 (2.0)	VT2535* (3.0)	_	_		Pilot	VT1525 (2.0)	VT1828 (2.3)	VT2535* (3.0)	_		_	_			
Tapered	4.0		Pilot	VT1828 (2.3)	VT2838* (3.3)	_	_		Pilot	VT1525 (2.0)	VT1828 (2.3)	VT2535 (3.0)	VT2838 (3.3)	VS3238* (3.5)	_	_			
Tapered	4.5		Pilot	VT1525 (2.0)	VT2535 (3.0)	VT3545* (4.0)	_		Pilot	VT1525 (2.0)	VT2535 (3.0)	VT2838 (3.3)	VT3545* (4.0)	_	_	_			
Tapered	5.0		Pilot	VT1828 (2.3)	VT2838 (3.3)	VT3848* (4.3)	_		Pilot	VT1828 (2.3)	VT2535 (3.0)	VT2838 (3.3)	VT3545 (4.0)	VT3848 (4.3)	VS4248* (4.5)	_			

^{*}Denotes implant placement.

In Ridge Expansion cases, please oversize your osteotomy and make sure that the crest diameter is equal to or larger than the implant major diameter.

In Hard Bone (Mandible), after Finishing the Full Osteotomy Preparation, Use the Next Larger Size Densah™ Bur to the 3mm Laser-Mark Depth to make sure the Osteotomy Crestal Diameter is Equal to or Larger than the Implant Major (Crestal) Diameter.

Use Densah™ Burs in full-step increments for Sinus Lift cases. Example: 2.0mm, 3.0mm, 4.0mm, 5.0mm





Use large block display to compare Bur identification system when using the schematic below for proper Bur usage

VT5® Set

○ VT8[®] Set

VS8® Set


								<u> </u>									<u> </u>	
					De	ensifying M	lode CCW	(800-1500) RPMs	/ Cuttin	g Mode C\	N (800-15	00) RPMs						
Anker SB-II																		
					Soft Bone			Hard Bone (Mandible)										
									In densifying mode make sure your osteotomy is 1.0 mm deeper than the actual implant final length. In extreme hard bone, utilize DAC (Densify After Cut) Protocol. Find protocol in IFU.									
Geometry	Major Ø	Minor Ø	Pilot	Bur I	Bur 2	Bur 3	Bur 4	Densah [™] Bur Block Display	Pilot	Bur I	Bur 2	Bur 3	Bur 4	Bur 5	Bur 6	Bur 7	Densah [™] Bur Block Display	
Tapered	3.5		Pilot	VT1525 (2.0)	VT2535* (3.0)	_	_		Pilot	VT1525 (2.0)	VT1828 (2.3)	VT2535* (3.0)	_	_	_	_		
Tapered	4.0		Pilot	VT1828 (2.3)	VT2838* (3.3)	_	_		Pilot	VT1525 (2.0)	VT1828 (2.3)	VT2535 (3.0)	VT2838 (3.3)	VS3238* (3.5)	_	_		
Tapered	4.5		Pilot	VT1525 (2.0)	VT2535 (3.0)	VT3545* (4.0)	_		Pilot	VT1525 (2.0)	VT2535 (3.0)	VT2838 (3.3)	VT3545* (4.0)		_	_		
Tapered	5.0		Pilot	VT1828 (2.3)	VT2838 (3.3)	VT3848* (4.3)	_		Pilot	VT1828 (2.3)	VT2535 (3.0)	VT2838 (3.3)	VT3545 (4.0)	VT3848 (4.3)	VS4248* (4.5)	_		

^{*}Denotes implant placement.

In Ridge Expansion cases, please oversize your osteotomy and make sure that the crest diameter is equal to or larger than the implant major diameter.

In Hard Bone (Mandible), after Finishing the Full Osteotomy Preparation, Use the Next Larger Size Densah™ Bur to the 3mm Laser-Mark Depth to make sure the Osteotomy Crestal Diameter is Equal to or Larger than the Implant Major (Crestal) Diameter.

Use Densah™ Burs in full-step increments for Sinus Lift cases. Example: 2.0mm, 3.0mm, 4.0mm, 5.0mm





Use large block display to compare Bur identification system when using the schematic below for proper Bur usage

VT5® Set

○ VT8[®] Set

VS8® Set

	Densifying Mode CCW (800-1500) RPMs / Cutting Mode CW (800-1500) RPMs																
					D	/V (800-15)	UU) KPIMS										
Anker AT-I																	
	Soft Bone							Hard Bone (Mandible)									
									In densifying mode make sure your osteotomy is 1.0 mm deeper than the actual implant final length. In extreme hard bone, utilize DAC (Densify After Cut) Protocol. Find protocol in IFU.								
Geometry	Major Ø	Minor Ø	Pilot	Bur I	Bur 2	Bur 3	Bur 4	Densah [™] Bur Block Display	Pilot	Bur I	Bur 2	Bur 3	Bur 4	Bur 5	Bur 6	Bur 7	Densah [™] Bur Block Display
Straight	3.3		Pilot	VT1828 (2.3)	VS2228* (2.5)	_	_		Pilot	VT1525 (2.0)	VT1828 (2.3)	VS2228* (2.5)	_	_	_	_	
Straight	4.1		Pilot	VT1828 (2.3)	VT2838 (3.3)	VS3238* (3.5)	_		Pilot	VT1828 (2.3)	VT2838 (3.3)	VS3238* (3.5)	_	_	_	_	
Straight	4.8		Pilot	VT1828 (2.3)	VT2838 (3.3)	VT3848 (4.0)	VS4248* (4.5)		Pilot	VT1828 (2.3)	VT2535 (3.0)	VT2838 (3.3)	VT3545 (4.0)	VT3848 (4.0)	VS4248* (4.5)	_	

^{*}Denotes implant placement.


*Clinician judgement and experience should be applied in conjuction with this suggestive Implant System Drilling Protocol *Clinician must follow their implant systems recommended insertion torque guidelines.

10458 REV04

In Ridge Expansion cases, please oversize your osteotomy and make sure that the crest diameter is equal to or larger than the implant major diameter.

In Hard Bone (Mandible), after Finishing the Full Osteotomy Preparation, Use the Next Larger Size Densah™ Bur to the 3mm Laser-Mark Depth to make sure the Osteotomy Crestal Diameter is Equal to or Larger than the Implant Major (Crestal) Diameter.

Use Densah™ Burs in full-step increments for Sinus Lift cases. Example: 2.0mm, 3.0mm, 4.0mm, 5.0mm





Use large block display to compare Bur identification system when using the schematic below for proper Bur usage

VT5® Set

○ VT8[®] Set

VS8® Set

	▼																		
	Densifying Mode CCW (800-1500) RPMs / Cutting Mode CW (800-1500) RPMs																		
Anker ST																			
						Soft Bone			Hard Bone (Mandible)										
									In densifying mode make sure your osteotomy is 1.0 mm deeper than the actual implant final length. In extreme hard bone, utilize DAC (Densify After Cut) Protocol. Find protocol in IFU.										
Geometry	Major Ø	Minor Ø	Pilot	Bur I	Bur 2	Bur 3	Bur 4	Densah [™] Bur Block Display	Pilot	Bur I	Bur 2	Bur 3	Bur 4	Bur 5	Bur 6	Bur 7	Densah [™] Bur Block Display		
Tapered	3.5		Pilot	VT1525 (2.0)	VT2535* (3.0)		_		Pilot	VT1525 (2.0)	VT1828 (2.3)	VT2535* (3.0)	_	_	_	_			
Tapered	4.0		Pilot	VT1828 (2.3)	VT2838* (3.3)	_	_		Pilot	VT1525 (2.0)	VT1828 (2.3)	VT2535 (3.0)	VT2838 (3.3)	VS3238* (3.5)	_	_			
Tapered	4.5		Pilot	VT1525 (2.0)	VT2535 (3.0)	VT3545* (4.0)	_		Pilot	VT1525 (2.0)	VT2535 (3.0)	VT2838 (3.3)	VT3545* (4.0)	_	_	_			
Tapered	5.0		Pilot	VT1828 (2.3)	VT2838 (3.3)	VT3848* (4.3)	_		Pilot	VT1828 (2.3)	VT2535 (3.0)	VT2838 (3.3)	VT3545 (4.0)	VT3848 (4.3)	VS4248* (4.5)	_			

^{*}Denotes implant placement.

^{*}Clinician judgement and experience should be applied in conjuction with this suggestive Implant System Drilling Protocol

*Clinician must follow their implant systems recommended insertion torque guidelines.